

Percentage having pre-treatment dietetic assessment

Cohort: All England (MDT) larynx/ OC/ *pharynx/ MSG diagnoses in audit year with AHP applicable treatment (surgery/chemo/radio/chemoradiotherapy) recorded, any intent

| Code | MDT Provider | Total | | | Pre-trt dietetic assessment (%) | |
|------|---------------------------------|-------------|-------------------------------|-------------|---------------------------------|------------|
| | | Had trt | Had pre-trt dietetic assess't | | Previous audit year | Difference |
| | | n | n | % | % | % |
| N29 | 3 Counties | 155 | 52 | 33.5 | 29.1 | 4.4 |
| N37 | Anglia | 297 | 111 | 37.4 | 52.8 | -15.4 |
| N12 | Arden | 83 | 5 | 6.0 | 36.8 | -30.8 |
| N28 | Avon, Somerset and Wiltshire | 236 | 18 | 7.6 | 5.4 | 2.2 |
| N31 | Central South Coast | 219 | 53 | 24.2 | 25.5 | -1.3 |
| N27 | Dorset | 116 | 41 | 35.3 | 35.5 | -0.2 |
| N39 | East Midlands | 450 | 115 | 25.6 | 9.4 | 16.1 |
| N38 | Essex | 141 | 56 | 39.7 | 33.1 | 6.6 |
| N02 | Greater Manchester and Cheshire | 344 | 89 | 25.9 | 15.9 | 10.0 |
| N35 | Greater Midlands | 224 | 71 | 31.7 | 41.0 | -9.3 |
| N07 | Humber and Yorkshire Coast | 130 | 29 | 22.3 | 26.9 | -4.6 |
| N34 | Kent and Medway | 195 | 17 | 8.7 | 6.9 | 1.8 |
| N01 | Lancashire and South Cumbria | 145 | 27 | 18.6 | 10.1 | 8.5 |
| N40 | London Cancer Alliance | 480 | 200 | 41.7 | 14.2 | 27.4 |
| LC | London Cancer | 255 | 74 | 29.0 | 28.1 | 1.0 |
| N03 | Merseyside and Cheshire | 351 | 63 | 17.9 | 11.7 | 6.2 |
| N20 | Mount Vernon | 106 | 29 | 27.4 | 23.9 | 3.5 |
| N36 | North of England | 432 | 201 | 46.5 | 34.5 | 12.1 |
| N08 | North Trent | 217 | 44 | 20.3 | 21.8 | -1.5 |
| N11 | Pan Birmingham | 95 | 30 | 31.6 | 3.1 | 28.5 |
| N26 | Peninsula | 211 | 113 | 53.6 | 33.9 | 19.6 |
| N32 | Surrey West Sussex and Hants | 165 | 40 | 24.2 | 71.6 | -47.3 |
| N33 | Sussex | 105 | 53 | 50.5 | 40.0 | 10.5 |
| N30 | Thames Valley | 159 | 28 | 17.6 | 29.2 | -11.6 |
| N06 | Yorkshire | 389 | 143 | 36.8 | 43.4 | -6.6 |
| | England total # | 5700 | 1702 | 29.9 | 26.2 | 3.6 |

Figure from 8AR

Another 28 England cases that were not discussed at MDT had a dietetic assessment prior to commencement of first treatment.

Percentage having pre-treatment dietetic assessment

Cohort: All England (MDT) larynx/ OC/ *pharynx/ MSG diagnoses in audit year with AHP applicable treatment (surgery/chemo/radio/chemoradiotherapy) recorded, any intent

| Code | MDT Provider | Total | | | Pre-trt dietetic assessment (%) | |
|------------|----------------------------------------------------------------------------------------------|------------|-------------------------------|-------------|---------------------------------|--------------|
| | | Had trt | Had pre-trt dietetic assess't | | Previous audit year | Difference |
| | | n | n | % | % | % |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 72 | * | * | 1.5 | * |
| RWP | Worcestershire Acute Hospitals NHS Trust | 82 | 50 | 61.0 | 50.8 | 10.2 |
| N29 | 3 Counties diagnoses - discussed at MDT (MDT organisation not recorded) | 1 | * | * | 48.3 | * |
| N29 | 3 Counties total | 155 | 52 | 33.5 | 29.1 | 4.4 |
| RGT | Cambridge University Hospitals NHS Foundation Trust | 115 | * | * | 63.3 | * |
| RM1 | Norfolk and Norwich University Hospitals NHS Foundation Trust | 177 | 109 | 61.6 | 48.4 | 13.1 |
| N37 | Anglia diagnoses - discussed at MDT (MDT organisation not recorded) | 5 | * | * | 21.7 | * |
| N37 | Anglia total | 297 | 111 | 37.4 | 52.8 | -15.4 |
| RKB | University Hospitals Coventry and Warwickshire NHS Trust | 83 | 5 | 6.0 | 37.0 | -30.9 |
| N12 | Arden diagnoses - discussed at MDT (MDT organisation not recorded) | 0 | 0 | - | 33.3 | - |
| N12 | Arden total | 83 | 5 | 6.0 | 36.8 | -30.8 |
| RVJ | North Bristol NHS Trust | * | 0 | 0.0 | 0.0 | 0.0 |
| RD1 | Royal United Hospital Bath NHS Trust | 29 | 0 | 0.0 | 0.0 | 0.0 |
| RBA | Taunton and Somerset NHS Foundation Trust | 55 | 16 | 29.1 | 28.6 | 0.5 |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 142 | * | * | 4.3 | * |
| N28 | Avon, Somerset and Wiltshire diagnoses - discussed at MDT (MDT organisation not recorded) | * | * | * | 6.5 | * |
| N28 | Avon, Somerset and Wiltshire total | 236 | 18 | 7.6 | 5.4 | 2.2 |
| RHU | Portsmouth Hospitals NHS Trust | 107 | 21 | 19.6 | 0.0 | 19.6 |
| RHM | University Hospital Southampton NHS Foundation Trust | 112 | 32 | 28.6 | 51.0 | -22.5 |
| N31 | Central South Coast diagnoses - discussed at MDT (MDT organisation not recorded) | 0 | 0 | - | 12.5 | - |
| N31 | Central South Coast total | 219 | 53 | 24.2 | 25.5 | -1.3 |
| RD3 | Poole Hospital NHS Foundation Trust | 115 | 41 | 35.7 | 35.5 | 0.1 |
| N27 | Dorset diagnoses - discussed at MDT (MDT organisation not recorded) | 1 | 0 | 0.0 | - | - |
| N27 | Dorset total | 116 | 41 | 35.3 | 35.5 | -0.2 |
| RTG | Derby Hospitals NHS Foundation Trust | 67 | 15 | 22.4 | 6.9 | 15.5 |
| RNS | Northampton General Hospital NHS Trust | 92 | 36 | 39.1 | 2.2 | 36.9 |
| RX1 | Nottingham University Hospitals NHS Trust | 136 | 26 | 19.1 | 19.2 | 0.0 |
| RWE | University Hospitals Of Leicester NHS Trust | 31 | 0 | 0.0 | 0.0 | 0.0 |
| N39 | East Midlands diagnoses - discussed at MDT (MDT organisation not recorded) | 124 | 38 | 30.6 | 0.0 | 30.6 |
| N39 | East Midlands total | 450 | 115 | 25.6 | 9.4 | 16.1 |
| RQ8 | Mid Essex Hospital Services NHS Trust | 140 | 55 | 39.3 | 33.1 | 6.2 |
| N38 | Essex diagnoses - discussed at MDT (MDT organisation not recorded) | 1 | 1 | 100.0 | - | - |
| N38 | Essex total | 141 | 56 | 39.7 | 33.1 | 6.6 |
| RW3 | Central Manchester University Hospitals NHS Foundation Trust | 117 | 41 | 35.0 | 31.6 | 3.5 |
| RW6 | Pennine Acute Hospitals NHS Trust | * | * | * | 22.2 | * |
| RBV | The Christie NHS Foundation Trust | 27 | * | * | 0.0 | * |
| RM2 | University Hospital Of South Manchester NHS Foundation Trust | 46 | * | * | 0.0 | * |
| RRF | Wrightington, Wigan and Leigh NHS Foundation Trust | * | * | * | 0.0 | * |
| N02 | Greater Manchester and Cheshire diagnoses - discussed at MDT (MDT organisation not recorded) | 137 | 43 | 31.4 | 4.5 | 26.8 |
| N02 | Greater Manchester and Cheshire total | 344 | 89 | 25.9 | 15.9 | 10.0 |
| RXW | Shrewsbury and Telford Hospital NHS Trust | 44 | 14 | 31.8 | 30.9 | 0.9 |
| RL4 | The Royal Wolverhampton NHS Trust | 116 | 50 | 43.1 | 66.4 | -23.3 |
| RJE | University Hospital Of North Staffordshire NHS Trust | 24 | * | * | 28.6 | * |
| N35 | Greater Midlands diagnoses - discussed at MDT (MDT organisation not recorded) | 40 | * | * | 10.2 | * |
| N35 | Greater Midlands total | 224 | 71 | 31.7 | 41.0 | -9.3 |

Percentage having pre-treatment dietetic assessment

Cohort: All England (MDT) larynx/ OC/ *pharynx/ MSG diagnoses in audit year with AHP applicable treatment (surgery/chemo/radio/chemoradiotherapy) recorded, any intent

| Code | MDT Provider | Total | | | Pre-trt dietetic assessment (%) | |
|------------|-------------------------------------------------------------------------------------------|------------|-------------------------------|-------------|---------------------------------|-------------|
| | | Had trt | Had pre-trt dietetic assess't | | Previous audit year | Difference |
| | | n | n | % | % | % |
| RWA | Hull and East Yorkshire Hospitals NHS Trust | 99 | 21 | 21.2 | 27.1 | -5.9 |
| N07 | Humber and Yorkshire Coast diagnoses - discussed at MDT (MDT organisation not recorded) | 31 | 8 | 25.8 | 0.0 | 25.8 |
| N07 | Humber and Yorkshire Coast total | 130 | 29 | 22.3 | 26.9 | -4.6 |
| RVV | East Kent Hospitals University NHS Foundation Trust | 70 | 0 | 0.0 | 0.0 | 0.0 |
| RWF | Maidstone and Tunbridge Wells NHS Trust | 110 | 17 | 15.5 | 11.1 | 4.3 |
| N34 | Kent and Medway diagnoses - discussed at MDT (MDT organisation not recorded) | 15 | 0 | 0.0 | 0.0 | 0.0 |
| N34 | Kent and Medway total | 195 | 17 | 8.7 | 6.9 | 1.8 |
| RXL | Blackpool Teaching Hospitals NHS Foundation Trust | 45 | 0 | 0.0 | - | - |
| RXR | East Lancashire Hospitals NHS Trust | 85 | 27 | 31.8 | 26.7 | 5.0 |
| RXN | Lancashire Teaching Hospitals NHS Foundation Trust | * | 0 | 0.0 | 5.6 | -5.6 |
| N01 | Lancashire and South Cumbria diagnoses - discussed at MDT (MDT organisation not recorded) | * | 0 | 0.0 | 0.0 | 0.0 |
| N01 | Lancashire and South Cumbria total | 145 | 27 | 18.6 | 10.1 | 8.5 |
| RJ1 | Guy's and St Thomas' NHS Foundation Trust | 190 | 94 | 49.5 | 0.0 | 49.5 |
| RYJ | Imperial College Healthcare NHS Trust | 42 | * | * | 0.0 | * |
| RV8 | North West London Hospitals NHS Trust | 87 | 24 | 27.6 | 28.0 | -0.4 |
| RJ7 | St Georges Healthcare NHS Trust | 80 | 40 | 50.0 | 45.5 | 4.5 |
| RPY | The Royal Marsden NHS Foundation Trust | 15 | * | * | 18.8 | * |
| N40 | London Cancer Alliance diagnoses - discussed at MDT (MDT organisation not recorded) | 66 | 33 | 50.0 | 15.4 | 34.6 |
| N40 | London Cancer Alliance total | 480 | 200 | 41.7 | 14.2 | 27.4 |
| RVL | Barnet and Chase Farm Hospitals NHS Trust | 62 | 28 | 45.2 | 40.0 | 5.2 |
| R1H | Barts Health NHS Trust | 100 | 24 | 24.0 | 1.0 | 23.0 |
| RRV | University College London Hospitals NHS Foundation Trust | 55 | 12 | 21.8 | 80.9 | -59.0 |
| LC | London Cancer diagnoses - discussed at MDT (MDT organisation not recorded) | 38 | 10 | 26.3 | 11.4 | 15.0 |
| LC | London Cancer total | 255 | 74 | 29.0 | 28.1 | 1.0 |
| REM | Aintree University Hospital NHS Foundation Trust | 334 | 59 | 17.7 | 11.7 | 6.0 |
| N03 | Merseyside and Cheshire diagnoses - discussed at MDT (MDT organisation not recorded) | 17 | 4 | 23.5 | 13.3 | 10.2 |
| N03 | Merseyside and Cheshire total | 351 | 63 | 17.9 | 11.7 | 6.2 |
| RWH | East and North Hertfordshire NHS Trust | 6 | * | * | 0.0 | * |
| RC9 | Luton and Dunstable University Hospital NHS Foundation Trust | 33 | * | * | 38.5 | * |
| N20 | Mount Vernon diagnoses - discussed at MDT (MDT organisation not recorded) | 67 | 20 | 29.9 | 55.0 | -25.1 |
| N20 | Mount Vernon total | 106 | 29 | 27.4 | 23.9 | 3.5 |
| RLN | City Hospitals Sunderland NHS Foundation Trust | 116 | 26 | 22.4 | 7.9 | 14.5 |
| RXP | County Durham and Darlington NHS Foundation Trust | * | * | * | - | * |
| RNL | North Cumbria University Hospitals NHS Trust | 49 | 19 | 38.8 | 43.2 | -4.4 |
| RTR | South Tees Hospitals NHS Foundation Trust | 132 | 60 | 45.5 | 62.6 | -17.2 |
| RTD | The Newcastle Upon Tyne Hospitals NHS Foundation Trust | 127 | 94 | 74.0 | 35.1 | 38.9 |
| N36 | North of England diagnoses - discussed at MDT (MDT organisation not recorded) | * | * | * | - | * |
| N36 | North of England total | 432 | 201 | 46.5 | 34.5 | 12.1 |
| RHQ | Sheffield Teaching Hospitals NHS Foundation Trust | 217 | 44 | 20.3 | 22.2 | -1.9 |
| N08 | North Trent diagnoses - discussed at MDT (MDT organisation not recorded) | 0 | 0 | - | 0.0 | - |
| N08 | North Trent total | 217 | 44 | 20.3 | 21.8 | -1.5 |
| RR1 | Heart Of England NHS Foundation Trust | 29 | 7 | 24.1 | 0.0 | 24.1 |
| RRK | University Hospitals Birmingham NHS Foundation Trust | 65 | 23 | 35.4 | 3.3 | 32.1 |
| N11 | Pan Birmingham diagnoses - discussed at MDT (MDT organisation not recorded) | 1 | 0 | 0.0 | 33.3 | -33.3 |
| N11 | Pan Birmingham total | 95 | 30 | 31.6 | 3.1 | 28.5 |

Percentage having pre-treatment dietetic assessment

Cohort: All England (MDT) larynx/ OC/ *pharynx/ MSG diagnoses in audit year with AHP applicable treatment (surgery/chemo/radio/chemoradiotherapy) recorded, any intent

| Code | MDT Provider | Total | | | Pre-trt dietetic assessment (%) | |
|------------|-------------------------------------------------------------------------------------------|-------------|-------------------------------|-------------|---------------------------------|--------------|
| | | Had trt | Had pre-trt dietetic assess't | | Previous audit year | Difference |
| | | n | n | % | % | % |
| RK9 | Plymouth Hospitals NHS Trust | 53 | 38 | 71.7 | 50.0 | 21.7 |
| REF | Royal Cornwall Hospitals NHS Trust | 45 | 27 | 60.0 | 5.7 | 54.3 |
| RH8 | Royal Devon and Exeter NHS Foundation Trust | 68 | 40 | 58.8 | 37.9 | 20.9 |
| RA9 | South Devon Healthcare NHS Foundation Trust | 42 | 7 | 16.7 | 47.5 | -30.8 |
| N26 | Peninsula diagnoses - discussed at MDT (MDT organisation not recorded) | 3 | 1 | 33.3 | 0.0 | 33.3 |
| N26 | Peninsula total | 211 | 113 | 53.6 | 33.9 | 19.6 |
| RA2 | Royal Surrey County Hospital NHS Foundation Trust | 164 | 40 | 24.4 | 71.4 | -47.0 |
| N32 | Surrey West Sussex and Hants diagnoses - discussed at MDT (MDT organisation not recorded) | 1 | 0 | 0.0 | 100.0 | -100.0 |
| N32 | Surrey West Sussex and Hants total | 165 | 40 | 24.2 | 71.6 | -47.3 |
| RXH | Brighton and Sussex University Hospitals NHS Trust | 80 | 42 | 52.5 | 41.5 | 11.0 |
| N33 | Sussex diagnoses - discussed at MDT (MDT organisation not recorded) | 25 | 11 | 44.0 | 26.7 | 17.3 |
| N33 | Sussex total | 105 | 53 | 50.5 | 40.0 | 10.5 |
| RN3 | Great Western Hospitals NHS Foundation Trust | 7 | * | * | 23.5 | * |
| RTH | Oxford University Hospitals NHS Trust | 121 | 23 | 19.0 | 34.6 | -15.6 |
| N30 | Thames Valley diagnoses - discussed at MDT (MDT organisation not recorded) | 31 | * | * | 14.6 | * |
| N30 | Thames Valley total | 159 | 28 | 17.6 | 29.2 | -11.6 |
| RAE | Bradford Teaching Hospitals NHS Foundation Trust | 125 | 43 | 34.4 | 56.0 | -21.6 |
| RR8 | Leeds Teaching Hospitals NHS Trust | 156 | 39 | 25.0 | 60.0 | -35.0 |
| RXF | Mid Yorkshire Hospitals NHS Trust | 35 | 19 | 54.3 | - | - |
| RCB | York Teaching Hospital NHS Foundation Trust | 61 | 42 | 68.9 | 13.4 | 55.5 |
| N06 | Yorkshire diagnoses - discussed at MDT (MDT organisation not recorded) | 12 | 0 | 0.0 | 21.4 | -21.4 |
| N06 | Yorkshire total | 389 | 143 | 36.8 | 43.4 | -6.6 |
| | England total # | 5700 | 1702 | 29.9 | 26.2 | 3.6 |

Figure from 8A

* (asterisk) in table cell = small number between 1-4 [primary suppression] or another number (including zero) selected for secondary suppression (i.e. to ensure that the primary suppression cannot be derived by subtraction). Associated percentages have also been suppressed to ensure that the suppressed number cannot be derived from the percentage.