

Health and Social Care Information Centre

NHS Data Model and Dictionary Service

Type:	Change Request
Reference:	1521
Version No:	1.0
Subject:	Palliative Care Co-ordination: Core content (Formerly End of Life Care)
Effective Date:	Immediate
Reason for Change:	Change to Data Standards
Publication Date:	22 September 2015

Background:

End of Life Care Core Content (SCCI 1580) was approved by Information Standards Board for Health and Social Care to support communication and co-ordination of End of Life Care in locally recorded electronic systems.

Following the national review and the phasing out of the Liverpool Care Pathway, changes are required to the standard to ensure it continues to meet user needs and remains fit for purpose. In order to support these changes definitions for Carer, Care Worker and Key Worker have been provided for inclusion into the NHS Data Model and Dictionary. The standard has also been renamed to the Palliative Care Co-ordination: Core content (Formerly End of Life Care).

This Change Request adds the supporting definitions to the NHS Data Model and Dictionary to support the Information Standard.

To view a demonstration on "How to Read an NHS Data Model and Dictionary Change Request", visit the NHS Data Model and Dictionary help pages at: http://www.datadictionary.nhs.uk/Flash_Files/changerequest.htm.

Note: if the web page does not open, please copy the link and paste into the web browser.

Summary of changes:

Supporting Information

[CARER](#)

New Supporting Information

[CARE WORKER](#)

New Supporting Information

[HOLISTIC NEEDS ASSESSMENT](#)

Changed Description

[KEY WORKER](#)

New Supporting Information

[NEONATAL CRITICAL CARE MINIMUM DATA SET OVERVIEW](#)

Changed Description

Attribute Definitions

[ACTIVITY LOCATION TYPE CODE](#)

Changed Description

[CARE PROFESSIONAL STAFF GROUP FOR COMMUNITY CARE](#)

Changed Description

[CARER RESIDENT INDICATION CODE FOR NATIONAL NEONATAL DATA SET](#)

Changed Description

[CARER SUPPORT INDICATOR](#)

Changed Description

[CRITICAL CARE ACTIVITY CODE](#)

Changed Description

[DEATH LOCATION TYPE CODE](#)

Changed Description

[GROUP SESSION TYPE CODE FOR COMMUNITY CARE](#)

Changed Description

[KEY WORKER SEEN INDICATOR](#)

Changed Description

[PERSON ACCOMPANYING TRANSPORTED PATIENT](#)

Changed Description

[RELATIONSHIP TO PERSON FOR CHILDREN AND YOUNG PEOPLE](#)

Changed Description

[SOURCE OF REFERRAL FOR COMMUNITY](#)

Changed Description

[SOURCE OF REFERRAL FOR MENTAL HEALTH](#)
[YOUNG CARER INDICATOR](#)

Changed Description
Changed Description

Data Elements

[DEATH LOCATION TYPE CODE \(PREFERRED\)](#)
[LANGUAGE CODE \(PREFERRED\)](#)
[YOUNG CARER INDICATOR](#)

Changed Description
Changed Description
Changed Description

Date: 22 September 2015

Sponsor: Jane Allberry, Deputy Director - NHS Clinical Services, Department of Health

Note: New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

CARER

Change to Supporting Information: New Supporting Information

A [Carer](#) is a [PERSON](#).

A [Carer](#) is a [PERSON](#) who is either providing or intending to provide a substantial amount of unpaid care on a regular basis for someone who is disabled, ill or frail.

A [Carer](#) is usually a family member, friend or neighbour and does not include [Care Workers](#) (Carers (Recognition and Services) Act 1995.)

This supporting information is also known by these names:

Context	Alias
plural	Carers

CARE WORKER

Change to Supporting Information: New Supporting Information

A [Care Worker](#) is a [PERSON](#).

A [Care Worker](#) is employed to support and supervise vulnerable, infirm or disadvantaged people, or those under the care of the state. They can be volunteers who provide care as part of their work for the voluntary organisation or paid workers who are providing care by virtue of a contract of employment or any other contract.

This supporting information is also known by these names:

Context	Alias
plural	Care Workers

HOLISTIC NEEDS ASSESSMENT

Change to Supporting Information: Changed Description

A [Holistic Needs Assessment](#) (HNA) is a [CARE CONTACT](#).

For the [Cancer Outcomes and Services Data Set](#), a [Holistic Needs Assessment](#) is the process of gathering and discussing information with the [PATIENT](#) and/or carer/supporter in order to develop an understanding of what the person living with and beyond cancer knows, understands and needs. For the [Cancer Outcomes and Services Data Set](#), a [Holistic Needs Assessment](#) is the process of gathering and discussing information with the [PATIENT](#) and/or [Carer](#)/supporter in order to develop an understanding of what the person living with and beyond cancer knows, understands and needs.

The [Holistic Needs Assessment](#):

- Identifies people who need help
- Provides an opportunity for the person to think through their needs and, together with their healthcare professional, to make a plan about how to best meet these
- Helps people to self manage their condition
- Helps teams to target support and care efforts and work more efficiently by making appropriate and informed decisions.

For further information on [Holistic Needs Assessments](#), see the [National Cancer Survivorship Initiative website](#).

KEY WORKER

Change to Supporting Information: New Supporting Information

A [Key Worker](#) is a [CARE PROFESSIONAL](#).

A [Key Worker](#) is a [CARE PROFESSIONAL](#) who takes a key role in co-ordinating the care of the [PATIENT](#) and promoting continuity, ensuring the [PATIENT](#) knows who to access for information and advice.

This supporting information is also known by these names:

Context	Alias
plural	Key Workers

NEONATAL CRITICAL CARE MINIMUM DATA SET OVERVIEW

Change to Supporting Information: Changed Description

The definition of the Neonatal Critical Care is linked to the definition of Neonatal Critical Care [Healthcare Resource Groups](#). These closely follow the definitions contained in the 2003 [Department of Health](#) report 'Report of the Neonatal Intensive Care Services Review Group'.

This takes account of related definitions which have been developed for the Maternity and Child Health data sets by the [Health and Social Care Information Centre](#).

The scope of the [Neonatal Critical Care Minimum Data Set](#) is:

- a) All [PATIENTS](#) on a [WARD](#) with a [CRITICAL CARE UNIT FUNCTION](#) *Neonatal Intensive Care Unit* regardless of care being delivered.
- b) All [PATIENTS](#) (excluding Mothers) on a [WARD](#) with a [CRITICAL CARE UNIT FUNCTION](#) *Facility for Babies on a Neonatal Transitional Care Ward or Facility for Babies on a Maternity Ward* to whom one or more of the following [CRITICAL CARE ACTIVITIES](#) applies for a period greater than 4 hours:
 - 01 Respiratory support via a tracheal tube
 - 02 Nasal Continuous Positive Airway Pressure (nCPAP)
 - 04 Exchange Transfusion
 - 05 Peritoneal Dialysis

- 06 Continuous infusion of inotrope, pulmonary vasodilator or prostaglandin
- 07 Parenteral Nutrition
- 08 Convulsions
- 09 Oxygen Therapy
- 10 Neonatal abstinence syndrome
- 11 Care of an intra-arterial catheter or chest drain
- 12 Dilution Exchange Transfusion
- 13 Tracheostomy cared for by nursing staff
- 14 ~~Tracheostomy cared for by external carer~~
- 14 Tracheostomy cared for by external Carer
- 15 Recurrent apnoea
- 16 Haemofiltration
- 22 Continuous monitoring
- 23 Intravenous glucose and electrolyte solutions
- 24 Tube-fed
- 25 Barrier nursed
- 26 Phototherapy
- 27 Special monitoring
- 28 Observations at regular intervals
- 29 Intravenous medication

If one or more of these [CRITICAL CARE ACTIVITIES](#) apply to a [PATIENT](#), then the [PATIENT](#) would be counted as receiving Neonatal Critical Care at the level of Intensive Care, High Dependency Care or Special Care depending on the [CRITICAL CARE ACTIVITIES](#) which apply.

Except in very exceptional circumstances, [CRITICAL CARE ACTIVITIES](#) 01 to 16 will only occur in a Neonatal Intensive Care Unit environment where all [PATIENTS](#) are covered by [Neonatal Critical Care Minimum Data Set](#) regardless of treatment. Care on [WARDS](#) with a [CRITICAL CARE UNIT FUNCTION](#) of 'Facility for Babies on a Neonatal Transitional Care Ward' or 'Facility for Babies on a Maternity Ward' will only be in respect of [CRITICAL CARE ACTIVITIES](#) 22 to 29 unless very exceptional circumstances apply. This does not prevent these [WARDS](#) recording [CRITICAL CARE ACTIVITIES](#) 01 to 16 on the [Neonatal Critical Care Minimum Data Set](#) if they occur. However, it does mean that such settings will in practice be dealing with a much shorter list of [CRITICAL CARE ACTIVITIES](#) which would determine whether the [Neonatal Critical Care Minimum Data Set](#) applied or not.

ACTIVITY LOCATION TYPE CODE

Change to Attribute: Changed Description

The type of [LOCATION](#) for an [ACTIVITY](#):

- where [PATIENTS](#) are seen
- where [SERVICES](#) are provided or
- from which requests for [SERVICES](#) are sent.

[LOCATION TYPE CODE](#) will be replaced with [ACTIVITY LOCATION TYPE CODE](#), which is the most recent approved national information standard to describe the required definition.

National Codes:

CODE	VALUE	NOTES
	PATIENT Main Residence or Related Location	
A01	PATIENT 's Home	
A02	Carer's Home	
A02	Carer 's Home	
A03	PATIENT 's Workplace	
A04	Other PATIENT Related Location	e.g. temporary address
	Health Centre Premises	

B01	Primary Care Health Centre	Primary Care Health Centre with or without GP Practice (s) based in it, providing community-based healthcare services such as podiatry, community dentistry, ophthalmology, minor injuries nursing etc, Sexual and Reproductive Health Service , health promotion etc, and sometimes hosting outreach services from NHS Trusts and NHS Foundation Trusts
B02	Polyclinic	Provide similar services to Primary Care Health Centre but also additional services such as diagnostics, minor procedures, Out-Patient Appointments , urgent care etc. and also co-located services with Local Authority Social Care . May also provide extended/out of hours services.
GENERAL PRACTITIONER and OPHTHALMIC MEDICAL PRACTITIONER		
C01	General Medical Practitioner Practice	Stand-alone GP Practice premises, not part of a Primary Care Health Centre
C02	Dental Practice	Stand-alone GP Practice premises, not part of a Primary Care Health Centre
C03	OPHTHALMIC MEDICAL PRACTITIONER Premises	
Walk In Centres, Out of Hours Premises and Emergency Community Dental Services		
D01	Walk In Centre	May be NHS GENERAL PRACTITIONER Led, NURSE -led, or provided by private company. May be sited in different areas - health care premises, in retail premises etc
D02	Out of Hours Centre	May be NHS GENERAL PRACTITIONER -Led, NURSE -led, or provided by private company. May be sited in different areas - health care premises, in retail premises etc
D03	Emergency Community Dental Service	Run by Community Dental Services not GENERAL DENTAL PRACTITIONERS
Locations on Hospital Premises		
E01	Out-Patient Clinic	
E02	WARD	
E03	Day Hospital	
E04	Accident and Emergency or Minor Injuries Department	
E99	Other Departments	e.g. Pathology Laboratories , physiotherapy, diagnostic imaging, Occupational Therapy, Pharmacy Premises etc
Hospice Premises		
F01	Hospice	
Nursing and Residential Homes		
G01	Care Home Without Nursing	
G02	Care Home With Nursing	
G03	Children's Home	
G04	Integrated Care Home Without Nursing and Care Home With Nursing *	
Day Centre Premises		
H01	Day Centre	Facilities operated by the NHS, Social Services or private or voluntary bodies, providing day care and respite care for elderly or disabled people
Resource Centre Premises		
J01	Resource Centre	Premises where information and support for PATIENTS and their families/carers is provided.
J01	Resource Centre	Premises where information and support for PATIENTS and their families/Carers is provided.
Dedicated Facilities for Children and Families		

K01	Sure Start Children's Centre	Children's centres are service hubs where children under five years old and their families can receive seamless integrated services and information. Services vary according to centre but may include: <ul style="list-style-type: none"> • Integrated early education and childcare • Support for parents including advice on parenting, local childcare options and access to specialist services for families • Child and family health services • Helping parents into work
K02	Child Development Centre	
Educational, Childcare and Training Establishments		
L01	School	Including Extended Services, where provided on School premises (where provided off School premises, use other appropriate location)
L02	Further Education College	
L03	University	
L04	Nursery Premises	Pre-school Nurseries attached to Schools would be classed as Schools in their own right
L05	Other Childcare Premises	e.g. Childminder
L06	Training Establishments	
L99	Other Educational Premises	Such as Teenage Pregnancy Units, School Preparation Units (for toddlers), Pupil Referral Units (excluded older children and young people), units providing specialist education e.g. deaf children, autistic children etc
Justice and Home Office Premises		
M01	Prison	
M02	Probation Service Premises	
M03	Police Station / Police Custody Suite	
M04	Young Offenders Institute	
M05	Immigration Removal Centre	
Public Locations		
N01	Street or other public open space	Public areas such as streets, parks, outdoor sports facilities etc
N02	Other publicly accessible area or building	Publicly accessible premises such as Youth Centres, supermarkets, shops and other retail locations such as shopping centres, community facilities such as libraries, church halls, community centres etc
N03	Voluntary or charitable agency premises	
N04	Dispensing Optician Premises	
N05	Dispensing Pharmacy Premises	Where it is not on a Hospital Site
Other Locations		
X01	Other locations not elsewhere classified	

Note: * National Code G04 is for use in the [Children and Young People's Health Services Data Set](#), [Community Information Data Set](#) and [Mental Health and Learning Disabilities Data Set](#). The values are not currently permitted to flow in other data sets. Users of these other data sets must map National Code G04 locally to other appropriate [ACTIVITY LOCATION TYPE CODES](#) for the purposes of flowing data.

CARE PROFESSIONAL STAFF GROUP FOR COMMUNITY CARE

Change to Attribute: Changed Description

The staff group of a [CARE PROFESSIONAL](#) working in a [Community Health Service](#).

National Codes:

Allied Health Professionals

- A01 Art Therapist
- A02 [Clinical Psychologist](#)
- A03 [Dietitian](#)
- A04 Drama Therapist
- A05 Music Therapist
- A06 [Occupational Therapist](#)
- A07 [Orthotist](#)
- A08 [Physiotherapist](#)
- A09 [Podiatrist](#)
- A10 [Prosthetist](#)
- A11 Psychotherapist
- A12 [Radiographer](#)
- A13 [Speech and Language Therapist](#)
- A14 [Orthoptist](#)

Medical/Dental

- M01 Community Dentist
- M02 [CONSULTANT](#)
- M03 [GENERAL MEDICAL PRACTITIONER](#)
- M04 [GENERAL MEDICAL PRACTITIONER](#) with Special Interest

Nursing, Health Visiting and Midwifery

- N01 [MIDWIFE](#)
- N02 District [NURSE](#)
- N03 [Health Visitor](#)
- N04 Macmillan [NURSE](#)
- N05 [School Nurse](#)
- N06 Specialist Nursing - Active Case Management (Community Matrons)
- N07 Specialist Nursing - Arthritis Nursing/Liaison
- N08 Specialist Nursing - Asthma and Respiratory Nursing/Liaison
- N09 Specialist Nursing - Breast Care Nursing/Liaison
- N10 Specialist Nursing - Cancer Related
- N11 Specialist Nursing - Cardiac Nursing/Liaison
- N12 Specialist Nursing - Children's Services
- N13 Specialist Nursing - Community Cystic Fibrosis
- N14 Specialist Nursing - Continence Services
- N15 Specialist Nursing - Diabetic Nursing/Liaison
- N16 Specialist Nursing - Enteral Feeding Nursing Services
- N17 Specialist Nursing - Haemophilia Nursing Services
- N18 Specialist Nursing - HIV/AIDS Nursing Services (Retired 01 September 2015)
- N19 Specialist Nursing - Infectious Diseases
- N20 Specialist Nursing - Intensive Care Nursing
- N21 Specialist Nursing - Palliative/Respite Care
- N22 Specialist Nursing - Parkinson's and Alzheimers Nursing/Liaison
- N23 Specialist Nursing - Rehabilitation Nursing
- N24 Specialist Nursing - Stoma Care Services
- N25 Specialist Nursing - Tissue Viability Nursing/Liaison
- N26 Specialist Nursing - Transplantation Patients Nursing Service
- N27 Specialist Nursing - Treatment Room Nursing Services
- N28 Specialist Nursing - Tuberculosis Specialist Nursing
- N29 Specialist Nursing - Other Specialist Nursing
- N30 Specialist Nursing - Safeguarding
- N31 Practice Nursing
- N32 Staff [NURSE](#)
- N33 Other Registered [NURSE](#)
- N34 Public Health [NURSE](#)

Other Care Professionals

- C01 Appliances Technician
- C02 Audiologist
- C03 Counsellor
- C04 Nursery Nurse
- C06 Play Therapist
- C07 [Social Worker](#)
- ~~C08 Voluntary Care Worker~~
- C08 [Voluntary Care Worker](#)
- C09 Screener (in a National [Screening Programme](#))
- C10 Health Trainer (Non Clinical)
- C11 Health Trainer (Clinical)
- C12 Health Care Assistant
- C13 Health Care Support Worker
- C99 Other [CARE PROFESSIONAL](#)

CARER RESIDENT INDICATION CODE FOR NATIONAL NEONATAL DATA SET

Change to Attribute: Changed Description

An indication of whether the parent/carer of a [PATIENT](#) is staying with the [PATIENT](#) during a [Neonatal Critical Care Spell](#); and if so, whether they are delivering any of the care that the [PATIENT](#) requires. An indication of whether the parent/Carer of a [PATIENT](#) is staying with the [PATIENT](#) during a [Neonatal Critical Care Spell](#); and if so, whether they are delivering any of the care that the [PATIENT](#) requires.

National Codes:

- ~~1 Parent/carer not resident~~
- ~~2 Parent/carer resident but not caring for [PATIENT](#)~~
- ~~3 Parent/carer resident and caring for [PATIENT](#)~~
- 1 [Parent/Carer not resident](#)
- 2 [Parent/Carer resident but not caring for \[PATIENT\]\(#\)](#)
- 3 [Parent/Carer resident and caring for \[PATIENT\]\(#\)](#)

CARER SUPPORT INDICATOR

Change to Attribute: Changed Description

An indication of whether carer support is available to the [PATIENT](#) at their normal residence. An indication of whether [Carer](#) support is available to the [PATIENT](#) at their normal residence.

This does not include any paid support or support from a voluntary organisation, unless the [PATIENT](#) is normally resident in a [Care Home](#). This does not include any paid support or support from a voluntary organisation, unless the [PATIENT](#) is normally resident in a [Care Home](#) and care is provided by a [Care Worker](#).

National Codes:

- ~~01 Yes~~
- ~~02 No~~
- 01 [Yes - \[Carer\]\(#\) support is available](#)
- 02 [No - \[Carer\]\(#\) support is not available](#)

CRITICAL CARE ACTIVITY CODE

Change to Attribute: Changed Description

A type of [CRITICAL CARE ACTIVITY](#) provided to a [PATIENT](#) during a [CRITICAL CARE PERIOD](#).

National Codes:

- 01 Respiratory support via a tracheal tube (Respiratory support via a tracheal tube provided)
- 02 Nasal Continuous Positive Airway Pressure (nCPAP) ([PATIENT](#) receiving nCPAP for any part of the day)
- 03 Surgery ([PATIENT](#) received surgery)
- 04 Exchange Transfusion ([PATIENT](#) received exchange transfusion)
- 05 Peritoneal Dialysis ([PATIENT](#) received Peritoneal Dialysis)
- 06 Continuous infusion of inotrope, pulmonary vasodilator or prostaglandin ([PATIENT](#) received a continuous infusion of an inotrope, vasodilator (includes pulmonary vasodilators) or prostaglandin)
- 07 Parenteral Nutrition ([PATIENT](#) receiving Parenteral Nutrition (amino acids +/- lipids))
- 08 Convulsions ([PATIENT](#) having convulsions requiring treatment)
- 09 Oxygen Therapy ([PATIENT](#) receiving additional oxygen)
- 10 Neonatal abstinence syndrome ([PATIENT](#) receiving drug treatment for neonatal abstinence (withdrawal) syndrome)
- 11 Care of an intra-arterial catheter or chest drain ([PATIENT](#) receiving care of an intra-arterial catheter or chest drain)
- 12 Dilution Exchange Transfusion ([PATIENT](#) received Dilution Exchange Transfusion)
- 13 Tracheostomy cared for by nursing staff ([PATIENT](#) receiving care of tracheostomy cared for by nursing staff not by an external carer (e.g. parent))
- 14 Tracheostomy cared for by external carer ([PATIENT](#) receiving care of tracheostomy cared for by an external carer (e.g. parent) not by a nurse)
- 13 Tracheostomy cared for by nursing staff ([PATIENT](#) receiving care of tracheostomy cared for by nursing staff not by an external Carer (e.g. parent))
- 14 Tracheostomy cared for by external Carer ([PATIENT](#) receiving care of tracheostomy cared for by an external Carer (e.g. parent) not by a NURSE)
- 15 Recurrent apnoea ([PATIENT](#) has recurrent apnoea needing frequent intervention, i.e. over 5 stimulations in 8 hours, or resuscitation with IPPV two or more times in 24 hours)
- 16 Haemofiltration ([PATIENT](#) received Haemofiltration)
- 21 ~~Carer Resident - Caring for Baby (External carer (for example, parent) resident with the baby and reducing nursing required by caring for the baby)~~
- 21 Carer Resident - Caring for Baby (External Carer (for example, parent) resident with the baby and reducing nursing required by caring for the baby)
- 22 Continuous monitoring ([PATIENT](#) requiring continuous monitoring (by mechanical monitoring equipment) of respiration or heart rate, or by transcutaneous transducers or by Saturation Monitors. Note: apnoea alarms and monitors are *excluded* as forms of continuous monitoring)
- 23 Intravenous glucose and electrolyte solutions ([PATIENT](#) being given intravenous glucose and electrolyte solutions)
- 24 Tube-fed ([PATIENT](#) being tube-fed)
- 25 Barrier nursed ([PATIENT](#) being barrier nursed)
- 26 Phototherapy ([PATIENT](#) receiving phototherapy)
- 27 Special monitoring ([PATIENT](#) receiving special monitoring of blood glucose or serum bilirubin measurement at a minimum frequency of more than one per calendar day)
- 28 Observations at regular intervals ([PATIENT](#) requiring recorded observations for temperature, heart rate, respiratory rate, blood pressure or scoring for neonatal abstinence syndrome. Recorded observations must be at a minimum frequency of 4 hourly)
- 29 Intravenous medication ([PATIENT](#) receiving intravenous medication)
- 50 Continuous electrocardiogram monitoring
- 51 Invasive ventilation via endotracheal tube
- 52 Invasive ventilation via tracheostomy tube
- 53 Non-invasive ventilatory support
- 55 Nasopharyngeal airway
- 56 Advanced ventilatory support (Jet or Oscillatory ventilation)
- 57 Upper airway obstruction requiring nebulised Epinephrine/ Adrenaline
- 58 Apnoea requiring intervention
- 59 Acute severe asthma requiring intravenous bronchodilator therapy or continuous nebuliser
- 60 Arterial line monitoring
- 61 Cardiac pacing via an external box (pacing wires or external pads or oesophageal pacing)
- 62 Central venous pressure monitoring

- 63 Bolus intravenous fluids (> 80 ml/kg/day) in addition to maintenance intravenous fluids
- 64 Cardio-pulmonary resuscitation (CPR)
- 65 Extracorporeal membrane oxygenation (ECMO) or Ventricular Assist Device (VAD) or aortic balloon pump
- 66 Haemodialysis (acute patients only i.e. excluding chronic)
- 67 Plasma filtration or Plasma exchange
- 68 ICP-intracranial pressure monitoring
- 69 Intraventricular catheter or external ventricular drain
- 70 Diabetic ketoacidosis (DKA) requiring continuous infusion of insulin
- 71 Intravenous infusion of thrombolytic agent (limited to tissue plasminogen activator [tPA] and streptokinase)
- 72 Extracorporeal liver support using Molecular Absorbent Liver Recirculating System (MARS)
- 73 Continuous pulse oximetry
- 74 Patient nursed in single occupancy cubicle
- 99 No Defined Critical Care Activity ([PATIENT](#) is not receiving any of the critical care interventions listed above (Excluding code 21). For example, [PATIENT](#) is on the Intensive Care Unit ready for discharge and is receiving normal care. This is the default code.

DEATH LOCATION TYPE CODE

Change to Attribute: Changed Description

The type of [LOCATION](#):

- At which a [PERSON](#) died or
- The preferred [LOCATION](#) of death of the [PATIENT](#), as stated by the [PATIENT](#), [Patient Proxy](#) or carer.
- The preferred [LOCATION](#) of death of the [PATIENT](#), as stated by the [PATIENT](#), [Patient Proxy](#) or [Carer](#).

National Codes:

- 10 Hospital**
- 20 Private Residence**
- 21 [PATIENT](#)'s own home
- ~~22 Other private residence (e.g. relatives home, carers home)~~
- 22 Other private residence (e.g. relative's home, [Carer's home](#))
- 30 Hospice**
- 40 Care Home**
- 41 [Care Home With Nursing](#)
- 42 [Care Home Without Nursing](#)
- 50 Other**

GROUP SESSION TYPE CODE FOR COMMUNITY CARE

Change to Attribute: Changed Description

The type of [Group Session](#) provided by a [Community Health Service](#).

National Codes:

- 01 Antenatal Session
- ~~02 Parent/carer and Child Session~~
- 02 [Parent/Carer and Child Session](#)
- 03 General Health Promotion Session
- 04 [Screening Programme](#)
- 05 Stop Smoking Education Programme
- 06 Substance Misuse
- 07 Weight Management

08 Contraception and Sexual Health

98 Other

KEY WORKER SEEN INDICATOR

Change to Attribute: Changed Description

An indication of whether the [PATIENT](#) was seen by a key worker. An indication of whether the [PATIENT](#) was seen by a [Key Worker](#).

During a [Cancer Care Spell](#), this is whether the [PATIENT](#) was seen by a key worker (other than a Clinical Nurse Specialist (CNS) or [Palliative Care](#) Specialist). During a [Cancer Care Spell](#), this is whether the [PATIENT](#) was seen by a [Key Worker](#) (other than a Clinical Nurse Specialist (CNS) or [Palliative Care](#) Specialist).

National Codes:

- Y Yes - [PATIENT](#) was seen by a key worker
- N No - [PATIENT](#) was not seen by a key worker
- Y Yes - [PATIENT](#) was seen by a [Key Worker](#)
- N No - [PATIENT](#) was not seen by a [Key Worker](#)

PERSON ACCOMPANYING TRANSPORTED PATIENT

Change to Attribute: Changed Description

The [PERSON](#) accompanying a [PATIENT](#) on a [PATIENT TRANSPORT JOURNEY](#).

National Codes:

- 1 [NURSE](#) - not Advanced Neonatal Nurse Practitioner
- 2 [NURSE](#) - Advanced Neonatal Nurse Practitioner
- 3 Doctor
- 4 [Paramedic](#)
- 5 [Parent/carer](#)
- 5 [Parent/Carer](#)

RELATIONSHIP TO PERSON FOR CHILDREN AND YOUNG PEOPLE

Change to Attribute: Changed Description

The relationship of the second [PERSON](#) to the first [PERSON](#) (the [PATIENT](#)) as used in the [Child and Adolescent Mental Health Services Secondary Uses Data Set](#) and [Children and Young People's Health Services Data Set](#).

This is used to identify, for example, with whom the child or young person is living in a permanent context or the relationship with the main carer etc. This is used to identify, for example, with whom the child or young person is living in a permanent context or the relationship with the main [Carer](#) etc.

Note that [ORGANISATIONS](#) may choose to collect the [RELATIONSHIP TO PERSON FOR CHILDREN AND YOUNG PEOPLE](#) codes at the high level (shown in **bold**) or at the more detailed level below each high-level code.

National Codes:

- BPX Biological Parent**
- BPM Biological mother
- BPF Biological father

SPX	Step-Parent
SPM	Stepmother
SPF	Stepfather
GPX	Grandparent
GPM	Grandmother
GPF	Grandfather
ORX	Other Relative
ORA	Aunt
ORU	Uncle
ORS	Sister
ORB	Brother
ORO	Other
APX	Adoptive Parent
APM	Adoptive mother
APF	Adoptive father
FPX	Foster Parent
FPM	Foster mother
FPF	Foster father
RCX	Residential Carer
RCX	Residential Carer
OTX	Other
NOX	None - Lives Alone

SOURCE OF REFERRAL FOR COMMUNITY

Change to Attribute: Changed Description

The source of a [SERVICE REQUEST](#) to a [Community Health Service](#).

National Codes:

- 01 [General Medical Practitioner Practice](#)
 - 02 Self referral
 - ~~03 Carer/Relative~~
 - 03 [Carer/Relative](#)
 - 04 Employer
 - 05 [Accident and Emergency Department](#) (including Minor Injuries Units and Walk In Centres)
 - 06 Acute Hospital Inpatient/Outpatient Department
 - 07 [Community Health Service](#) (same or other [Health Care Provider](#))
 - 08 [Dental Practice](#)
 - 09 National [Screening Programme](#)
 - 10 [Educational Establishment](#)
 - 11 [Local Authority](#) Social Services
 - 12 [Hospice](#)
 - 13 [Care Home](#)
 - 14 Police
 - 15 Courts
 - 16 Probation Service
 - 17 Prison Health Service
 - 18 Asylum Service
 - 19 Telephone or Electronic Access Service
 - 20 Voluntary Sector
 - 21 Independent Sector
 - 22 [Ambulance Service](#)
 - 23 [Mental Health Service](#)
-

SOURCE OF REFERRAL FOR MENTAL HEALTH

Change to Attribute: Changed Description

The source of referral of a [Mental Health Care Spell](#).

National Codes:

- Primary Health Care**
- A1 [GENERAL MEDICAL PRACTITIONER](#)
- A2 [Health Visitor](#)
- A3 Other Primary Health Care
- Self Referral**
- B1 Self
- ~~B2 Carer~~
- [B2 Carer](#)
- Local Authority Services**
- C1 Social Services
- C2 Education Service
- Employer**
- D1 Employer
- Justice System**
- E1 Police
- E2 [Courts](#)
- E3 Probation Service
- E4 [Prison](#)
- E5 Court Liaison and Diversion Service
- Child Health**
- F1 [School Nurse](#)
- F2 Hospital-based Paediatrics
- F3 Community-based Paediatrics
- Independent/Voluntary Sector**
- G1 Independent sector - Medium Secure Inpatients
- G2 Independent Sector - Low Secure Inpatients
- G3 Other Independent Sector Mental Health Services
- G4 Voluntary Sector
- Acute Secondary Care**
- H1 [Accident and Emergency Department](#)
- H2 Other secondary care specialty
- Other Mental Health NHS Trust**
- I1 Temporary transfer from another Mental Health NHS Trust
- I2 Permanent transfer from another Mental Health NHS Trust
- Internal referrals from Community Mental Health Team (within own NHS Trust)**
- J1 Community Mental Health Team (Adult Mental Health)
- J2 Community Mental Health Team (Older People)
- J3 Community Mental Health Team (Learning Disabilities)
- J4 Community Mental Health Team (Child and Adolescent Mental Health)
- Internal referrals from Inpatient Service (within own NHS Trust)**
- K1 Inpatient Service (Adult Mental Health)
- K2 Inpatient Service (Older People)
- K3 Inpatient Service (Forensics)
- K4 Inpatient Service (Child and Adolescent Mental Health)
- K5 Inpatient Service (Learning Disabilities)
- Transfer by graduation (within own NHS Trust)**
- L1 Transfer by graduation from Child and Adolescent Mental Health Services to Adult Mental Health Services
- L2 Transfer by graduation from Adult Mental Health Services to Older Peoples Mental Health Services
- Other**
- M1 Asylum Services

- M2 Telephone or Electronic Access Service
- M3 Out of Area Agency
- M4 Drug Action Team / Drug Misuse Agency
- M5 Jobcentre Plus **
- M6 Other service or agency

Improving Access to Psychological Therapies

- N1 Stepped up from low intensity [Improving Access to Psychological Therapies Service](#) *
- N2 Stepped down from high intensity [Improving Access to Psychological Therapies Service](#) *

Notes:

- * National Codes N1 and N2 are for use in the [Improving Access to Psychological Therapies Data Set](#) only.
- ** National Code M5 can only be used for the [Mental Health and Learning Disabilities Data Set](#) and [Child and Adolescent Mental Health Services Secondary Uses Data Set](#), if referrals from Jobcentre Plus are accepted.

YOUNG CARER INDICATOR

Change to Attribute: Changed Description

~~An indication of whether a child or young PERSON has a caring role for an ill or disabled parent, carer or sibling.~~ An indication of whether a child or young PERSON has a caring role for an ill or disabled parent, Carer or sibling.

National Codes:

- Y Yes
- N No
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

DEATH LOCATION TYPE CODE (PREFERRED)

Change to Data Element: Changed Description

Format/Length:	an1
National Codes:	See DEATH LOCATION TYPE CODE
Default Codes:	99 - The CARE PROFESSIONAL did not discuss the preferred LOCATION of death prior to the death of the PATIENT

Notes:

[DEATH LOCATION TYPE CODE \(PREFERRED\)](#) is the same as attribute [DEATH LOCATION TYPE CODE](#).

~~[DEATH LOCATION TYPE CODE \(PREFERRED\)](#) is the preferred [LOCATION](#) of death as specified by the [PATIENT](#), [Patient Proxy](#) or carer.~~ [DEATH LOCATION TYPE CODE \(PREFERRED\)](#) is the preferred [LOCATION](#) of death as specified by the [PATIENT](#), [Patient Proxy](#) or [Carer](#).

LANGUAGE CODE (PREFERRED)

Change to Data Element: Changed Description

Format/Length:	an2
National Codes:	See LANGUAGE CODE

Default Codes:

Notes:

[LANGUAGE CODE \(PREFERRED\)](#) is the same as the attribute [LANGUAGE CODE](#).

~~[LANGUAGE CODE \(PREFERRED\)](#) is the language the [PATIENT](#), [Patient Proxy](#) or carer prefers to use for communication with a [Health Care Provider](#).~~ [LANGUAGE CODE \(PREFERRED\)](#) is the language the [PATIENT](#), [Patient Proxy](#) or [Carer](#) prefers to use for communication with a [Health Care Provider](#).

YOUNG CARER INDICATOR

Change to Data Element: Changed Description

Format/Length:	an1
National Codes:	See YOUNG CARER INDICATOR
Default Codes:	X - Not known - Not known whether the PERSON is a young carer
Default Codes:	X - Not known - Not known whether the PERSON is a young Carer

Notes:

[YOUNG CARER INDICATOR](#) is the same as attribute [YOUNG CARER INDICATOR](#).

For enquiries about this Change Request, please email information.standards@hscic.gov.uk